

Abdomen - retroperitoneálny priestor

spatium extraperitoneale	1/ spatium retroperitoneale 2/ spatium praoperitoneale 3/ spatium subperitoneale (infraperitoneale)
spatium retroperitoneale	orgány: gl. suprarenalis, ren, pelvis renalis, ureter cievy: aorta abdominalis + vetvy, v. cava inferior + prítoky lymfa: nll. lumbales et iliaci, cisterna chyli, začiatok ductus thoracicus nervy: plexus lumbalis trunci sympathici et ganglia trunci sympathici plexus autonomici
aorta abdominalis	uložená naľavo od v. cava inferior (v úrovni stavcov Th12 - L4) úroveň crista iliaca: bifurcatio aortae (L4) – a. iliaca communis dx. et sin. rovina linea terminalis: a. iliaca communis – a. iliaca externa et interna
vetvy	parietálne: aa. phrenicae inferiores – aa. suprarenales superiores aa. lumbales a. sacralis mediana viscerálne párové: aa. suprarenales mediae (v úrovni stavca L1) aa. renales (v úrovni stavca L1) – aa. suprarenales inferiores aa. testiculares / ovaricae (v úrovni stavca L2) viscerálne nepárové: 1/ truncus coeliacus (v úrovni stavca Th12) a. gastrica sin. rr. gastrici, rr. oesophageales a. lienalis (splenica) rr. pancreatici, rr. lienales, aa. gastricae breves, a. gastroepiploica (gastroomentalisa) sin. rr. gastrici, rr. epiploici a. hepatica communis a. hepatica propria a. gastrica dx. r. dx. – a. cystica, r. sin. a. gastroduodenalis a. pancreaticoduodenalis superior, a. gastroepiploica (gastroomentalisa) dx. rr. gastrici, rr. epiploici 2/ a. mesenterica superior (v úrovni stavca L1) a. pancreaticoduodenalis inferior – r. anterior et posterior aa. jejunales (1-2 arkády) – aa. rectae aa. ileales (3 a viac arkád) – aa. rectae a. ileocolica: r. ilealis, a. caecalis anterior et posterior, a. appendicularis, r. colicus a. colica dx. a. colica media

3/ a. mesenterica inferior (v úrovni stavca L3)

- a. colica sin.
- aa. sigmoideae
- a. rectalis superior (anastomóza s a. rectalis media et inferior)
anastomosis magna (Riolani, Halleri) na flexura coli sin.
– anastomóza medzi a. colica media a a. colica sin.

v. cava inferior

2,5 cm napravo od linea mediana anterior (v úrovni stavcov L5 - Th8)
parietálne prítoky:

vv. iliace communes (v úrovni stavca L5)
vv. lumbales (v úrovni stavcov L1 - L4)
vv. phrenicae inferiores

viscerálne prítoky:

- vv. renales (v úrovni stavca L1)
 - v. renalis dx.
 - v. renalis sin. – v. testicularis / ovarica sin., v. suprarenalis sin.
- v. testicularis / ovarica dx. (v úrovni stavca L2)
- v. suprarenalis dx. (v úrovni stavca L1)
- vv. hepaticae

v. portae

vznik za hlavou pankreasu sútokom:
v. mesenterica superior + v. lienalis

prítoky v. portae:

- vv. paraumbilicales
- v. gastrica sin. – vv. oesophageales
- v. gastrica dx. – v. praepylorica
- v. mesenterica superior
 - vv. pancreaticoduodenales, vv. pancreaticae,
 - v. gastroepiploica dx.
 - vv. jejunales et ileales
 - v. ileocolica – v. appendicularis
 - v. colica dx. et media
- v. lienalis (splenica) – vv. pancreaticae, vv. gastricae breves,
 - v. gastroepiploica sin.
 - v. mesenterica inferior – v. colica sin., vv. sigmoideae,
 - v. rectalis superior

lymfatická drenáž

parietálne lymfatické uzliny:

1/ pozdíž aorty – nll. lumbales sin. (paraaoptici):

nll. retroaortici, nll. lateroaortici, nll. preaortici, nll. interaortocavales
– do truncus lumbalis sin.

2/ pozdĺž v. cava inferior – nll. lumbales dx. (paracavales):

nll. precavales, nll. laterocavales, nll. retrocavales
– do trunco lumbalis dx.

viscerálne lymfatické uzliny z orgánov brušnej dutiny:

nll. coeliaci, nll. mesenterici superiores et inferiores
– do truncus intestinalis

cisterna chyli: trunci lumbales + truncus intestinalis

inervácia

somatické nervy:

- nn. subcostales (v úrovni stavca Th12)
- plexus lumbalis (v úrovni stavcov L1 - L4)
 - n. iliohypogastricus (v úrovni stavca L1)
 - n. ilioinguinalis (v úrovni stavca L1)

autonómne nervy:

- 1/ sympatiková časť
 - truncus sympathicus do prevertebrálnych ganglií
 - n. splanchnicus major (z 5. - 9. ggl. thoracicum)
 - n. splanchnicus minor (z 10. - 11. ggl. thoracicum)
 - n. splanchnicus imus (z 12. ggl. thoracicum)
 - nn. splanchnici lumbales
 - ganglia sympathici praevertebrales
 - ggl. coeliacum, ggl. mesentericum superius, ggl. aorticoreale,
 - ggl. mesentericum inferius
- 2/ parasympatiková časť
 - n. vagus
 - nn. splanchnici pelvici (z miechových segmentov S2-S4)
- 3/ plexus autonomici – plexus aorticus autonomicum
 - plexus coeliacus
 - plexus mesentericus superior et inferior
 - plexus intermesentericus
 - plexus hypogastricus superior: n. hypogastricus dx. et sin.
 - plexus hypogastricus inferior

Porto-kaválne anastomózy

spojky medzi prítokmi v. portae a prítokmi v. cava superior (VCS) / v. cava inferior (VCI)

- 1/ v. portae ← **v. gastrica sin. – vv. oesophageae** → v. azygos → VCS
- 2/ v. portae ← **vv. paraumbilicales – vv. subcutaneae abdominis** →
 - v. thoracica lateralis → VCS
 - v. epigastrica superficialis → VCI
- 3/ v. portae ← **v. rectalis superior – v. rectalis media** → v. iliaca interna → VCI
- 4/ v. portae ← v. mesenterica inferior ← v. colica sin. ← **vv. lumbales** → VCI

Kavo-kaválne anastomózy

spojky medzi VCS a VCI

- 1/ VCS ← v. thoracica interna ← **v. epigastrica superior – v. epigastrica inferior** →
 - v. iliaca externa → VCI
- 2/ VCS ← v. thoracica lateralis ← **vv. subcutaneae abdominis** → v. epigastrica superficialis
 - VCI
- 3/ VCS ← v. azygos ← **v. lumbalis ascendens** → vv. lumbales → VCI